

In the Claims:

Claims 1-17 (canceled).

18. (Currently Amended) A free-flowing composition comprising:

about 5 to about 34 weight percent redried cornstarch;

silica having a particle size of between 40 and 50 microns; and

65 to 80 weight percent of at least one fat soluble vitamin in liquid phase.

19. (Previously presented) The composition of claim 18, wherein the at least one fat soluble vitamin is selected from the group comprising vitamin A, vitamin D, vitamin E, vitamin K, and beta carotene.

20. (Previously presented) The composition of claim 18, wherein the at least one fat soluble vitamin is liquid mixed tocopherols.

21. (Previously presented) The composition of claim 18, wherein the silica has a density of at least 12.5 lbs./cu.ft., and a surface area of from about 400m²/g to 500m²/g.

22. (Currently Amended) A free flowing composition comprising:

about 5 to about 34 weight percent starch;

silica having a density of at least 12.5 lbs./cu.ft., a particle size of between 40 and 50 microns, and a surface area of from about 400m²/g to 500 m²/g; and

~~at least~~ 65 to 80 weight percent of at least one fat soluble vitamin.

23. (Currently Amended) The composition of claim 22, wherein the at least one fat soluble vitamin is selected from the group comprising vitamin A, vitamin D, vitamin E, vitamin K, ~~vitamin C, vitamin B₄, vitamin B₂, vitamin B₆, vitamin B₁₂, folic acid, biotin, inositol, and~~ beta carotene, ~~vitamin B₃, and vitamin B₅.~~

24. (Previously presented) The composition of claim 22, wherein the at least one vitamin comprises liquid mixed tocopherols.

25. (Canceled)

26. (Currently Amended) A free flowing composition comprising:

about 5 to about 34 weight percent starch;

silica having a particle size of between 40 and 50 microns; and

~~at least~~ 65 to 80 weight percent of at least one fat soluble vitamin,

wherein the composition is free of fatty acid esters of glycerine.

27. (Previously presented) The composition of claim 26, wherein the at least one fat soluble vitamin is selected from the group comprising vitamin A, vitamin D, vitamin E, vitamin K and beta carotene.

28. (Previously presented) The composition of claim 26, wherein the at least one fat soluble vitamin is liquid mixed tocopherol with a minimum assay of 700 mg/g liquid tocopherol.

29. (Previously presented) A product produced by a process, the process comprising:

mixing about 5 to about 34 weight percent starch, silica having a particle size of between 40 and 50 microns and liquid mixed tocopherols present in amounts of 65 to 80 weight percent.

30. (Previously presented) A vitamin powder comprising the composition of any one of claims 18, 22, or 26.

31. (Previously presented) The composition of claim 18, wherein the composition is stable at room temperature for at least 11 months.

32. (Previously presented) The composition of claim 31, wherein the composition is stable without special protection from light or air.

33. (Previously presented) The composition of claim 31, wherein the at least one vitamin is liquid mixed tocopherols.

34. (Previously presented) The composition of claim 33, wherein the composition is stable without special protection from light or air.

35. (Previously presented) The composition of claim 22, wherein the composition is stable at room temperature for at least 11 months.

36. (Previously presented) The composition of claim 35, wherein the composition is stable without special protection from light or air.

37. (Previously presented) The composition of claim 35, wherein the at least one vitamin is liquid mixed tocopherols.

38. (Previously presented) The composition of claim 37, wherein the composition is stable without special protection from light or air.

39. (Previously presented) The composition of claim 26, wherein the composition is stable at room temperature for at least 11 months.

40. (Previously presented) The composition of claim 39, wherein the composition is stable without special protection from light or air.

41. (Previously presented) The composition of claim 39, wherein the at least one vitamin is liquid mixed tocopherols.

42. (Previously presented) The composition of claim 41, wherein the composition is stable without special protection from light or air.

43. (Previously presented) The product of claim 29, wherein the product is stable at room temperature for at least 11 months.

44. (Previously presented) The product of claim 43, wherein the product is stable without special protection from light or air.

45. (Canceled)

46. (Canceled)

47. (Previously presented) The composition of any one of claims 18, 22 or 26, or the product of 29, wherein the silica has a particle size of about 50 microns.

48. (Previously presented) The composition of claim 22, wherein the starch is redried cornstarch.

49. (Previously presented) The composition of claim 26, wherein the starch is redried cornstarch.

50. (Previously presented) The product of claim 29, wherein the starch is redried cornstarch.

51. (Previously presented) The composition of claim 18, wherein the at least one fat soluble vitamin comprises a tocopherol.

52. (Canceled)